



Tropical Fruit Factsheet *Mamey Sapota*

Authors: Jeff Wasielewski, Laura Vasquez and Jonathan H. Crane

Common name: Mamey sapote

Botanical name: *Pouteria sapota*

Family: Sapotaceae

Good varieties: Pantin (Key West), Magaña

About the fruit: Underneath their scruffy, dull brown exterior is a juicy, orange to crimson pulp that's sweet and creamy, popularly used in batidos (milkshakes) and flan. When harvesting, nick the skin of the fruit and look for orange or red color under the peel. If the nicked spot is green, it's not ready to harvest.

Season: Main season is June to September.

Why you should consider it: The mamey makes a handsome tree and is a reliable producer.

Be aware: Be on the lookout for iron deficiency with this tree and do not overwater. Trees can become very large if not pruned.

Pruning: This tree is difficult to prune due to harboring multiple crops (never a time without fruit) and the branches propensity to elongate with very few leaves. It can be kept at 15 feet through annual selective pruning.

Planting: Make sure not to plant too deep. Dig the hole bigger than the container but refill the hole with the native soil so the plant's first flare root is at or just above ground level. Protect the tree from mechanical damage (string trimmers and mowers).

Fertilizer: Use an 8-3-9 or something similar two to three times during the rainy season (May to October). Drench with chelated iron (EDDHA) and use a micro-element foliar spray two to three times from May to October.

Un Vistazo a la Fruta Tropical *Mamey Zapote*

Por: Jeff Wasielewski, Laura Vásquez y Jonathan H. Crane

Nombre común: Mamey zapote

Nombre botánico: *Pouteria sapota*

Familia: Sapotáceas

Variedades recomendables: Pantin (Key West), Magaña

Acerca de la fruta: Debajo de su exterior desaliñado y marrón opaco hay una pulpa jugosa de color naranja a carmesí que es dulce y cremosa, popularmente utilizada en batidos y flan. Al cosechar, corte la piel de la fruta y busque color naranja o rojo debajo de la piel. Si el punto cortado es verde, no está listo para cosechar.

Temporada: La temporada principal es de junio a septiembre.

Por qué debería considerarlo: El mamey es un árbol hermoso y es un producto confiable.

Tome en cuenta: Esté atento a la deficiencia de hierro con este árbol y no riegue en exceso. Los árboles pueden llegar a ser muy grandes si no se podan.

Poda: Este árbol es difícil de podar debido a que alberga múltiples cosechas (nunca sin frutos) y por la distribución de las ramas al alargarse con muy pocas hojas. Se puede mantener a 15 pies mediante podas selectivas anuales.

Plantar: Asegúrese de no plantar demasiado profundo. Cave el hoyo más grande que el contenedor, pero vuelva a llenar el hoyo con el suelo nativo para que la primera raíz acampanada de la planta esté al nivel del suelo o justo por encima. Proteja el árbol de daños mecánicos (cortadora de malezas y cortadora de césped).

Fertilizante: Use un 8-3-9 o algo similar dos o tres veces durante la temporada de lluvias (de mayo a octubre). Empape con hierro quelado (EDDHA) y use un rocío foliar de microelementos dos o tres veces de mayo a octubre.

