




Florida Citrus Activity Book




Provided by the UF/IFAS Citrus Research and Education Center

Parts of an Orange

Directions: Color the parts of the orange.




Parts of a Citrus Leaf



FUN FACT: Leaves are the primary site for food manufacturing in plants through the process called photosynthesis. Color the leaf green.

Parts of a Citrus Tree

Directions: Label the parts of the tree and color.



Citrus Varieties

Below is a list of major Florida citrus varieties and their typical harvest period.

Oranges

Navel (October–January) Hamlin (October–January) Parson Brown (October–January) Valencia (March–June)

Grapefruit

Duncan (December–May) Thompson (December–May) Flame (November–May) Ruby Red (November–May)

Lemons and Limes

Meyer Lemon (November–March) Bearss Lemon (July–December) Tahiti Lime (June–September) Key Lime (All year)

Tangerines and Tangelos

Murcott Tangerine (January–March) Sunburst Tangerine (November–December) Minneola Tangelo (December–February) Satsuma (September–November)

Miscellaneous


Calamondin (November–April) Nagami Kumquat (November–April) Tavares Limequat (November–March) Nakon Pummelo (December–February)

DID YOU KNOW?

- In Florida citrus, the term seedless means zero to six seeds. Although the Navel orange is considered seedless, you may find a few seeds.
- The Minneola Tangelo's nickname is the Honeybell because it is very sweet and in the shape of a bell.
- The majority of Florida's oranges are squeezed into juice.
- Grapefruit from Florida is shipped to Japan by boat.
- You can eat an entire Kumquat, even the peel.
- Satsuma is one of the earliest tangerine varieties and grows best in north Florida.

Directions: Count the number of seeds in the orange.

Number of seeds:



What is your favorite citrus fruit? _____

Citrus Diseases

Citrus trees can get sick just like people. There are three causes of diseases: fungi, bacteria, and viruses.

Bacterial Diseases

Citrus Canker Citrus Greening

Fungal Diseases

Greasy Spot Citrus Scab Alternaria Brown Spot Melanose Citrus Black Spot Phytophthora Root Rot Brown Rot

Viral Diseases

Tristeza Exocortis



ID 852963 © Johanna Goodyear | Dreamstime.com

<u>Directions:</u> Below is a list of common citrus diseases. Using the lists above, identify their cause of disease. Write "B" for bacterial, "F" for fungal, and "V" for viral.

Exocortis	 Alternaria Brown Spot
Brown Rot	 Greasy Spot
Citrus Black Spot	 Melanose
Citrus Canker	 Phytophthora Root Rot
Citrus Greening	 Tristeza
Citrus Scab	

Citrus Canker

Citrus canker is a very contagious disease for citrus trees. It does not harm people. It makes oranges, grapefruit, lemons, and tangerines look very bad. Although it is not pretty on the outside, you can still eat the fruit.




Citrus canker lesions (spots) are usually tan when first formed. As the lesions get older, they form a yellow circle around the tan lesion. This is called a yellow halo or yellow ring. You can see the same symptoms on both leaves and fruit. The yellow halo is commonly seen when identifying canker.






The lesions feel rough and are raised. They are not smooth like the leaf. As the lesions get older, they turn dark brown to black. You can sometimes see a sticky substance oozing out of the lesion. This is where the bacteria lives and, when the wind blows, it spreads the bacteria.

Color By Number




Citrus Black Spot






Citrus black spot is a fungal disease that causes various types of spots on the fruit. The most common type is hard spot. It is round and sunken. If you look inside the circle, you can see little dots. The little dots are the fungal structures.



<u>Directions:</u> Connect the dots and color the picture.



Fungal Diseases

Fungal diseases reproduce well in moist and humid conditions. Florida has the perfect conditions for fungal diseases. The most common fungal diseases are greasy spot, scab, melanose, and alternaria. Citrus fruit infected by fungal diseases may look bad, but it does not harm the inside of the fruit. You can still eat the fruit!



Greasy SpotLooks like dust on fruit surface



Citrus ScabLooks like warts



Melanose Feels like sandpaper



Alternaria Brown Spot Looks like craters

<u>Directions:</u> Fill in the crossword puzzle with the common citrus fungal diseases found in Florida.

Greasy Spot	Scab	Melanose	Alternaria	
\mathbf{D}				
Ι				
S		_		
 E				
A				
S				
E	. <u> </u>			

Citrus Greening

Citrus greening is a bacterial disease. Its official name is Huanglongbing (HLB). The leaf symptoms have a blotchy mottle pattern. It causes fruit to be lopsided and small; the rind does not color properly. The fruit may taste bitter and sour. It affects oranges, grapefruit, tangerines, tangelos, lemons, and limes—all citrus varieties!



Blotchy mottle pattern



The curved central core inside of a grapefruit

<u>Directions:</u> Circle the words in the puzzle below.


BACTERIA GRAPEFRUIT		CITRUS GREENING									FRUIT HLB			
HUANGLONGBIN	LOPSIDED									MISSHAPEN				
ORANGES					PH	LOE	M					P	SYLLID	
SMALL				T	ANG	ERI	NES	,						
S S H U C B D X L P H R C S E F I T L	G A I I J T A Q U U N L	RNIXTNIRREPA	BGSRGRRFPGSM	TLREEIUAGNYS	LOSARTHSEILV	F N P W P S C G M N L R	BGXASEGANEIV	E B J I M V F S B E D M	G I M T E M K R U R B P I	ZNFFIHEHUGEL	M G S R U X K M M I I Y	TANGERINESTT	DEDISPOLYWQU	
R U W M D Q	A W V	X N O	Z X D	H B G	T G N	M E F	I T K	K I W	E G P	V A N	H A A	O M R	D A M	

Asian Citrus Psyllid


The Asian citrus psyllid is the insect responsible for spreading the bacteria that causes citrus greening. It is a small insect, about 3-4 millimeters in length (smaller than a grain of rice).




The female psyllid lays the eggs on the new flush (new leaves) of citrus trees. It takes about 14 days for the eggs to hatch. The psyllid nymphs then go through 5 stages before becoming an adult.



Psyllid egg and the 5 nymph stages



Citrus Leafminer




Weeds

Citrus pests and diseases play a major role in citrus care but weeds compete for water, nutrients, sunlight, and space for growth; therefore, weeds are an important part of plant care too. Weeds act as substitute hosts of insect pests and diseases. Weeds are super abundant seed producers; some weeds such as Spanishneedles can produce as many as 5,000 seeds per plant per year! Weeds reproduce through seeds or through sprouting from rhizomes, stolons, and bulbs found under the soil. Weeds can be a grass, a broadleaf, or a sedge.

A	В	С	D	Е	F	G	Н	I	J	K	L	M	N	О	P	Q	R	S	T	U	V	W	X	Y	Z
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26

23	5	5	4	19	1	18	5	21	14	23	1	14	20	5	4

<u>Directions:</u> Using the key above, complete the statement by matching the numbers and filling in the corresponding letter.



Recipes

Always remember to check with an adult before starting!

Honey Grapefruit Delight

Ingredients

- 2 Florida grapefruit
- tablespoons honey 2
- tablespoons sliced toasted almonds 3

Yogurt Sauce:

- cup nonfat plain yogurt 1
- 2 tablespoons honey
- 1/4 teaspoon grated grapefruit peel
- teaspoon almond extract

Steps

- 1. Peel and slice grapefruit into ½" thick rounds.
- 2. In a large bowl, combine grapefruit and honey; toss lightly to coat.
- 3. Cover and chill until ready to serve.
- 4. In a small bowl, mix sauce ingredients; stir well.
- 5. Divide grapefruit slices among 4 individual dishes.
- 6. Top with yogurt sauce; sprinkle with almonds.

Serves 4.

Florida Sunshine Shake

Ingredients

- cup orange juice
- cup grapefruit juice ripe banana 1/2
- 1
- 1/2 cup lowfat vanilla yogurt
- teaspoon vanilla

Steps

Combine all ingredients in a blender until smooth. Pour into glasses and serve immediately.

Makes two 8-ounce servings.

Orange Tango

Ingredients

- 3/4 cup frozen orange juice concentrate, thawed
- large mangos peeled and chopped or two 8 2 ounce bags chunked frozen mango
- cups lemon sherbet 2
- 11/2 cups milk or almond milk
- teaspoon vanilla

Steps

- 1. In a blender, combine thawed concentrate and mango chunks.
- 2. Cover and blend until mixture is smooth.
- 3. Add sherbet, milk, and vanilla.
- 4. Cover and blend until smooth.

Pour into glasses and serve immediately.

Makes five 8-ounce servings.

Orange Juice Cake

Ingredients

- package (2 layer size) yellow cake mix 1
- 4-ounce package lemon instant pudding mix 1
- 4
- 3⁄₄ cup corn oil
- cup orange juice

Steps

- 1. Combine the cake mix, pudding mix, eggs, corn oil, and orange juice in a mixing bowl.
- 2. Beat at low speed for 2 minutes, scraping the bowl constantly.
- 3. Spoon the batter into a greased and floured tube pan or 9 x 13-inch cake pan.
- 4. Bake in preheated 325 degree oven for 45 minutes.
- 5. Cool completely before frosting or enjoy without.

Makes 10 servings.

Photo Credits

Front Cover Page

Trunk and roots with grass Katherine M. Snyder, UF/IFAS CREC

Background DigitalJuice Canvases Vol. 4 'Picket Fence'
Oranges DigitalJuice Juice Drops No. 31 Food Fusion
3104_JuiceDrop

Leaves ID 7883689 © Waivefamiso Dreamstime.com

Page 3

Orange Traced image Digital Juice, Juice Drops No. 31
Food Fusion 3175_JuiceDrop

Seeds Katherine M. Snyder, UF/IFAS CREC

Page 4

Leaf Copyright © 2004–2016 Florida Center for Instructional Technology. ClipArt ETC is a part of the Educational Technology Clearinghouse and is produced by the Florida Center for Instructional Technology, College of Education, University of South Florida. http://etc.usf.edu/clipart/58500/58557/58557_grpfrt_leaf.htm

Page 5

Tree (leaves, fruit, trunk, roots, and grass) Katherine M. Snyder, UF/IFAS CREC

Blossoms ID 24195949 © Dannyphoto80|Dreamstime.

Page 6

Question mark ID 30493170 © Alexyndr Dreamstime.

Orange Traced image Digital Juice, Juice Drops No. 31 Food Fusion 3175_JuiceDrop

Seeds Katherine M. Snyder, UF/IFAS CREC

Page 7

Orange with lens ID 852963 © Johanna Goodyear|Dreamstime.com

Page 8

Canker leaf and fruits Jamie D. Burrow, UF/IFAS CREC Leaf Copyright © 2004–2016 Florida Center for Instructional Technology. ClipArt ETC is a part of the Educational Technology Clearinghouse and is produced by the Florida Center for Instructional Technology, College of Education, University of South Florida. http://etc.usf.edu/clipart/58500/58557/58557_grpfrt_leaf.htm.

Simulated canker lesions (circles) on leaf Katherine M. Snyder, UF/IFAS CREC

Page 9

Citrus black spot Megan M. Dewdney, UF/IFAS CREC Tree outline (leaves, fruit, and trunk) Katherine M. Snyder, UF/IFAS CREC

Blossoms ID 24195949 © Dannyphoto80|Dreamstime.

Page 10

Greasy spot Megan M. Dewdney, UF/IFAS CREC Citrus scab Megan M. Dewdney, UF/IFAS CREC Melanose Jamie D. Burrow, UF/IFAS CREC Alternaria Jamie D. Burrow, UF/IFAS CREC

<u>Page 11</u>

Blotchy mottle pattern UF/IFAS CREC HLB infected grapefruit Jamie D. Burrow, UF/IFAS CREC

<u>Page 12</u>

Adult Asian citrus psyllid Michael E. Rogers, UF/IFAS CREC

Adult female and nymphal instars of Asian citrus psyllid Drawing by Division of Plant Industry. http://entnemdept.ufl.edu/creatures/citrus/acpsyllid.htm

Connect the dot activity Drawing by Division of Plant Industry. http://entnemdept.ufl.edu/creatures/citrus/acpsyllid.htm. Modified by Katherine M. Snyder, UF/IFAS CREC

Page 13

Adult leafminer moth Photograph by Jeffery W. Lotz, Florida Department of Agriculture and Consumer Services, Division of Plant Industry. http://entnemdept.ufl.edu/creatures/citrus/citrus_leafminer.htm

Leafminer damage UF/IFAS CREC

Leafminer damage magnified UF/IFAS CREC

Magnified larva (maze starting point) UF/IFAS CREC

Adult leafminer moth (maze finishing point) Photo by Jack

Kelly Clark http://cisr.ucr.edu/citrus_leafminer.html

Leaf Copyright © 2004–2016 Florida Center for Instructional Technology. ClipArt ETC is a part of the Educational Technology Clearinghouse and is produced by the Florida Center for Instructional Technology, College of Education, University of South Florida. http://etc.usf.edu/clipart/58500/58557/58557_grpfrt_leaf.htm. Modified by Katherine M. Snyder, UF/IFAS CREC

Page 14

Grass weed North Carolina State University. https://content.ces.ncsu.edu/extension-gardener-handbook/6-weeds#section_heading_7497

Broadleaf weed UF/IFAS Communications

<u>Page 15</u>

Honey Grapefruit Delight recipe FDOC FG0002 10/98 IMM, Honey & Florida Grapefruit – Sweet & Healthy (brochure)

Florida Sunshine Shake Florida Department of Citrus,

Orange Tango Florida Department of Citrus, 1998

Orange Juice Cake Simply Florida: A taste of Flavors from the Sunshine State, Florida Extension Association of Family and Consumer Sciences, University of Florida, Gainesville, 2007, pg. 121

Back Cover Page

Trunk and roots with grass Katherine M. Snyder, UF/IFAS CREC

Background DigitalJuice Canvases Vol. 4 'Picket Fence'
Oranges DigitalJuice Juice Drops No. 31 Food Fusion
3104_JuiceDrop

Leaves ID 7883689 © Waivefamiso Dreamstime.com



Created by J.D. Burrow, M.M. Dewdney, M.E. Rogers, and T. Vashisth Cover Design by Kathy Snyder

UF/IFAS Citrus Research and Education Center 700 Experiment Station Road, Lake Alfred, Florida 33850 www.crec.ifas.ufl.edu 863.956.1151

The Institute of Food and Agricultural Sciences (IFAS) is an Equal Opportunity Institution authorized to provide research, educational information and other services only to individuals and institutions that function with non-discrimination with respect to race, creed, color, religion, age, disability, sex, sexual orientation, marital status, national origin, political opinions or affiliations. For more information on obtaining other UF/IFAS Extension publications, contact your county's UF/IFAS Extension office.

U.S. Department of Agriculture, UF/IFAS Extension Service, University of Florida, IFAS, Florida A & M University Cooperative Extension Program, and Boards of County Commissioners Cooperating. Nick T. Place, dean for UF/IFAS Extension.

